

M/s.

Dear Sir(s),

You are requested to send your sealed quotation for supply the following items which are required for "Escorts" make Hydra -12 Ton capacity :-

1. **Item required** :-

Sl.No.	Description	Qnty.	Rate (Rs.)
A	Tyre & Tube for "Escorts" make Hydra-12		
1	Rear Wheel Tyre (Size- 13.00 x 24 x 12 Ply Rating) Make:- "JK"/ "CEAT"/ "MRF"	2 nos.	
2	Tube for Rear Wheel Tyre (Size – 13.00 x 24) Make:- "JK"/ "CEAT"/ "MRF"	2 nos.	
3	Flap for above (Size – 13.00 x 24) Make:- "JK"/ "CEAT"/ "MRF"	2 nos.	

2. **Rate** :- Your quoted rate should be inclusive of all taxes and duties and delivery charges. Specific make to be mentioned properly. Entry Tax will be borne by BBUNL/BBJ.
3. **Validity of Rate** : Your quoted rate should be valid and firm for a period of 3(three) months from the date of opening of your offer.
4. **Delivery at** :- Ganga Bridge Site,Munger(Bihar).
5. **Delivery Period** :- Within 15 days from the date of LOI/ORDER.
6. **Payment** :- Within 30 days from the date of delivery and submission of bill with receipted challan.
7. **Liquidated Damage** :- If you fail to complete supply as per our order within stipulated period, 0.5% of order value will be deducted from your bill for per week of delay subject to maximum of 5% of order value.
8. **Termination of Contract**:- If the supplier failure to complete the total work/supply/service as per requirement and within the stipulated completion period, BBJ reserves the right to cancel the order, either in part or full as the situation demands and get the work done by

deploying other agency/agencies by issuing first seven days and then 48 hours notice. Additional cost if incurred shall be recovered from the supplier's bill.

9. **JURISDICTION OF COURT:**

The Courts at Kolkata shall have the exclusive jurisdiction to try all disputes,if any,arising out of this agreement between the parties.

10. **Last Date of Submission** :- Your sealed quotation must reach to our Corporate Office on or before **14th September,2015 by 12.30 p.m.**

(Tapas Sen)